

## Fine Standard TRIO®



### East Plant

210 Red Cloud Road

Carlsbad, NM 88220

800.451.2888 :: Customer Service

PROPERTY	TYPICAL	GUARANTEE
K <sub>2</sub> O	21.7%	21.5% min.
Mg	11.0%	10.8% min.
MgO	18.2%	17.9% min.
S	22.2%	22% min.
SO <sub>4</sub>	66.6%	66% min.
Chloride	2.0%	
Moisture	0.35%	
SGN	40	
UI	15	

### PARTICLE SIZE DISTRIBUTION

TYLER MESH	OPENING MM	TYPICAL % CUMULATIVE
+20	0.850	5
+28	0.600	25
+35	0.425	50
+48	0.300	70
+65	0.212	80

### TYPICAL BULK DENSITY

93 lbs/ft<sup>3</sup>

1490 kg/m<sup>3</sup>

### TYPICAL ANGLE OF REPOSE

34-37 degrees

### TYPICAL CHEMICAL ANALYSIS %

Ca	0.5
Na	2.0
Insoluble	0.7
pH	7



The information shown in this data sheet represents average properties of product analyses of composite samples and typical analyses should not be considered a guaranteed specification. Individual shipment and grab sample analyses may fall outside of the above typical values due to natural variability within the product. Additional handling, transportation, or improper/extended storage may affect product analyses. Intrepid Potash disclaims any responsibility or liability for any loss or damage that may occur from any reliance on, or other use of, the above information with respect to the product.

Revised Date :: April 30, 2026

### INTREPID

707 17th Street, Suite 4200, Denver, CO 80202

[www.intrepidpotash.com](http://www.intrepidpotash.com)

