


SAFETY DATA SHEET – Salt

| | | |
|-------------------------------|--------------|--------------------------------|
| Date Issued: November 3, 2004 | Version: 4.0 | Revision Issued: March 2, 2017 |
|-------------------------------|--------------|--------------------------------|

Section I – Product and Company Identification

| | |
|--|---|
|  | INTREPID POTASH – MOAB, LLC 707 17 th St. Suite 4200 Denver, CO 80202 Office 303-296-3006 Fax 303-298-7502 Web http://www.intrepidpotash.com/Contact.aspx EMERGENCIES: Call (800) 424-9300 (CHEMTREC) HEALTH EMERGENCIES: CONTACT YOUR LOCAL POSION CENTER |
|--|---|

| | | | |
|---|---------------|---------------|---------------------------------|
| Common Name: Fine Salt, Medium Salt, Road Salt, Coarse Salt | Formula: NaCl | Synonym: Salt | Use: Animal Feed and Industrial |
|---|---------------|---------------|---------------------------------|

Section II – Hazard Identification

| | | |
|---------------|----------------|----------------|
| GHS07 | Not Applicable | Not Applicable |
| Lab Elements: | | |
| Prevention: | Not Applicable | |
| Response: | Not Applicable | Not Applicable |
| Storage: | Not Applicable | Not Applicable |
| Disposal: | Not Applicable | Not Applicable |

Section III – Composition/Information on Ingredients

| Chemical Name(s) | CAS No. | Exposure Limits | | | | | | | | % by Weight |
|--------------------|-----------|-------------------|-----|-------------------|-----|-------------------|-----|-------------------|-----|-------------|
| | | OSHA PEL | | TLV - TWA | | STEL | | CEIL | | |
| | | mg/m ³ | ppm | mg/m ³ | ppm | mg/m ³ | ppm | mg/m ³ | ppm | |
| Sodium Chloride | 7647-14-5 | 15 / 5* | | 10** | | | | | | 98.5 - 99.5 |
| Potassium Chloride | 7447-40-7 | 15 / 5* | | 10** | | | | | | 0.5 – 1.5 |

** Total Dust / Respirable dust

* Based on ACGIH nuisance dust limits

Section IV – First Aid Measures

| | |
|--------------------|---|
| Eyes: | Rinse cautiously with water for several minutes. Flush with water, including under upper & lower lids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention/advice if pain and irritation persists. |
| Skin: | Wash thoroughly with water. Obtain medical advice/attention if irritation persists. |
| Ingestion: | A large bodily load may cause vomiting, diarrhea, cramps, tingling in hands and feet, weak pulse, and circulatory disturbances. Administer water to the patient. Ingesting will usually cause purging of the stomach by vomiting. Get medical attention. |
| Inhalation: | If individual is experiencing respiratory discomfort or irritation remove to fresh air. If discomfort or irritation persists, get medical attention/advice. |

Section V – Fire Fighting Measures

Flash Point: None Auto-ignition Temperature: Not Applicable Lower Explosive Limit: Not Applicable
Upper Explosive Limit: Not Applicable

Extinguishing Media: As required for surrounding fire. Salt is non-flammable and does not support combustion.

| | |
|---|--|
| Special Firefighting Procedures and Equipment: | Full structural firefighting (bunker) gear is the minimum acceptable attire. The need for proximity, entry, flashover and/or special chemical protective clothing (see Section 8) needs to be determined for each incident by a competent firefighting safety professional. Water used for fire suppression and cooling may become exposed to soluble fertilizer. Discharge to sewer system(s) or environment may be restricted, requiring containment and proper disposal of water. |
|---|--|

Section VI – Accidental Release Measures

| | |
|-----------------------|---|
| Small Spill: | Sweep up and use as ice melt if non-contaminated by foreign materials. |
| Large Spill: | Collect with appropriate equipment. If on a hard surface, sweep up residue with brooms. If on soil, remove and collect the top 5 cm of soil. |
| Release Notes: | Salt is highly soluble and can be quickly diluted by relatively large amounts of water. Prevent spilled materials from entering sewers, storm drains and other unauthorized treatment drainage systems. Salt which has entered a small non-permanent pond should be removed by pumping the pond dry. If spill could potentially enter any waterway, including intermittent dry creeks, contact the local authorities. If in the U.S., contact the US COAST GUARD NATIONAL RESPONSE CENTER toll free number, 800-424-8802. In case of accident or road spill notify: CHEMTRECIN USA AT 800-424-9300; CANUTEC in Canada at 613-996-6666; CHEMTREC in other countries at (International code) +1-703-527-3887. |
| Comments: | See Section XIII for disposal information and Section XV for regulatory requirements. Large and small spills may have a broad definition depending on the user's handling system. Therefore, the spill category must be defined at the point of release by technically qualified personnel. |

Section VII – Handling and Storage

| | |
|---------------------|---|
| Ventilation: | Local exhaust to reduce dust concentrations below recommended levels. |
| Handling: | Avoid generating dust by excessive or unnecessary movement. |
| Storage: | Store in a dry location. Avoid contact with aluminum or carbon steel to minimize corrosion. |

Section VIII – Exposure Controls/Personal Protection

| | |
|---|---|
| Engineering Controls: | May be necessary to minimize dust levels. |
| Personal Protection: | |
| Eye Protection: | Use tight-fitting safety goggles in areas of high dust concentration. |
| Protective Clothing: | Gloves, long sleeve shirts and long pants. Launder work clothing regularly. |
| Respiratory Protection: | Minimum NIOSH approved N95 filter type dust respirators until engineering controls are implemented. |
| Other Protective Clothing or Equipment: | Optional |

Section IX – Physical and Chemical Properties

Appearance/Color/Odor: White crystalline or granular.

| | |
|---|--|
| Melting Point/Range: 800°C (1472°F) | Boiling Point: 1465°C (sublimates) |
| Solubility in Water: 359 grams per liter | Boiling Point/Range: 1420 – 1500°C |
| Specific Gravity: 2.17 | Vapor Pressure (mmHg): Not Applicable |
| Vapor Density: Not Applicable | % Volatiles: <0.5 |
| Bulk Density: 35-83 lbs./ft ³ (560-1330 kg/m ³) | Evaporation Rate: No Data Available |
| pH: Approximately 8 | Viscosity: Not applicable |

Section X – Stability and Reactivity

| | |
|--|---|
| Stability: | Stable. |
| Hazardous Polymerization: | Will not occur |
| Conditions to Avoid: | None |
| Materials to Avoid (Incompatibilities): | Strong oxidizing agents, strong acids. In the presence of moisture it may be mildly corrosive to metals. |
| Hazardous Decomposition Products: | When heated to decomposition (above 1413 degree Celsius) may emit toxic fumes of Na ₂ O and Cl ₂ . May evolve chlorine gas when in contact with strong acids. |

Section XI Toxicological Information

| | |
|--|---|
| Significant Routes of Exposure: | Eyes, skin, inhalation, ingestion |
| Substance: | Sodium Chloride |
| Acute Oral Toxicity: | Rat, oral, LD50 >3000 mg/kg Mouse, oral, LD50 > 4000 mg/kg |
| Acute Inhalation Toxicity: | Rat, LC50 > 42 g/m ³ /1hour |
| Acute Dermal Toxicity: | No data available |
| Eye & Skin Irritation: | Rabbit, Eye: 100 mg/24 hour, moderate irritant Rabbit, Eye: 500 mg/ 24 hour, mild irritant |
| Substance: | Potassium Chloride |
| Acute Oral Toxicity: | No data available |
| Acute Inhalation Toxicity: | No data available |
| Acute Dermal Toxicity: | No data available |
| Eye & Skin Irritation: | No data available |

Section XII – Ecological Information

| | | |
|----------------------------|---|---|
| Ecotoxicology: | Acute Toxicity to Fish: | 96 hour LC 50 2800mg/l (rainbow trout) |
| | Chronic Toxicity to Fish: | No data available |
| | Acute Toxicity to Aquatic Invertebrates: | 48 hour EC50 337mg/l (Crustacean/Daphnia) 96 hour LC 50 940mg/l (Physaheterostropha) |
| | Chronic Toxicity to Aquatic Invertebrates: | No data available |
| | Toxicity to Aquatic Plants: | 72 hour ErC 50 2500mg/l NEOL 0.6 g/l |
| | Toxicity to Bacteria: (activated sludge): | No data available |
| | Toxicity to Soil Dwelling Organisms: | No data available |
| | Toxicity to Terrestrial Plants: | No data available |
| Environmental Fate: | Stability in Water: | Dissolves in water and disassociates into Na and Cl ions. Ions may be absorbed by plants or by animals ingesting water containing Salt. |
| | Stability in Soil: | Binds to clay particles |
| Toxicity: | Non-toxic | |
| Degradation | Chloride and Sodium Ions | |

Section XIII – Disposal Considerations

| | |
|--------------------------|--|
| Product Disposal: | This material, if discarded as produced, is not a RCRA “listed” or “characteristic” hazardous waste. Contamination may subject it to hazardous waste regulations. Properly characterize all waste materials. Consult State and local regulations regarding the proper disposal of this material. |
| General Comments: | Because of its solubility Salt should not be disposed of in a location where run-off will escape. |

Section XIV – Transportation Information

| | |
|---------------------------------------|----------------|
| Proper Shipping Name: | Not Applicable |
| Hazard Class: | Not Applicable |
| Identification Number: | HTS 3104.20.00 |
| Packing Group (Technical Name) | Not Applicable |

Section XV – Regulatory Information

UNITED STATES:

SARA Hazard Category: This product has been reviewed according to the EPA Hazard Categories promulgated under Section 311 and 312 of the Superfund Amendment and Reauthorization Act of 1986 (SARA Title III) and is considered, under applicable definitions, to meet the following categories:

Fire: No **Pressure Generating:** No **Reactivity:** No **Acute:** No **Chronic:** No

SARA Title III Information: This product contains the following substances subject to the reporting requirements of Title III(EPCRA) of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372:

| Chemical | CAS No. | Percent by Weight | CERCLA RQ (lbs.) |
|--------------------|-----------|-------------------|------------------|
| Sodium Chloride | 7647-14-5 | 98.5-99.5 | NA |
| Potassium Chloride | 7447-40-7 | 0.5-1.5 | NA |

| | |
|--|--|
| TSCA: | Listed in the TSCA Inventory. |
| CANADA: | DSL: Yes NSDL: Not Listed |
| WHMIS Hazard Symbol and Classification: | Not controlled |
| Ingredient Disclosure List: | This product does not contain ingredient(s) on this list |
| Environmental Protection: | All intentional ingredients are listed on the DSL (Domestic Substance List). |

Section XVI – Other Information

| | | | | |
|---------------------|------------------|------------------------|-----------------------|----------------------------|
| NFPA Hazard Rating: | Health: <u>1</u> | Flammability: <u>0</u> | Instability: <u>0</u> | Special Hazard: <u>N/A</u> |
|---------------------|------------------|------------------------|-----------------------|----------------------------|

0 = Insignificant 1 = Slight 2 = Moderate 3 = High 4 = Extreme

| | | | | |
|---------------------|-----------|-----------------|--------------------|-------|
| HMIS Hazard Rating: | Health: 1 | Flammability: 0 | Physical Hazard: 0 | PP: E |
|---------------------|-----------|-----------------|--------------------|-------|

0 = Insignificant 1 = Slight 2 = Moderate 3 = High 4 = Extreme

E = safety glasses, gloves and dust respirator

Comments: None

Section(s) changed since last revision: SDS is designed to comply with U.S. DOL: OSHA and MSHA HazCom standards in effect on the revision date.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief as of the revision date noted below. This information is not a warranty or quality specification. The user of the product is solely responsible for determining the suitability of use in each particular situation. This information relates only to the specific material designated and may not be valid for the material used in combination with any other materials or in any process. The user of the product assumes all risks and responsibilities in connection with the use of the product, and Intrepid will not be responsible for any damages relating to the use of the product.

(Revision Date 03/17)