

## Granular Potash 60% K<sub>2</sub>O



PROPERTY	RANGE	TYPICAL	GUARANTEE
K <sub>2</sub> O	60.0-61.0%	60.5%	60.0% min.
Moisture	0.1-0.3%	0.10%	
SGN	280 - 310	290	
UI		50	

### PARTICLE SIZE DISTRIBUTION

TYLER MESH	OPENING MM	TYPICAL % CUMULATIVE
+6	3.330	25
+8	2.360	75
+10	1.650	95
+14	1.170	98
+20	0.833	99

### TYPICAL BULK DENSITY

63 lbs/ft<sup>3</sup>  
1010 kg/m<sup>3</sup>

### TYPICAL ANGLE OF REPOSE

28-32 degrees



Intrepid Potash-Moab  
HWY. 279, Potash Road  
Moab, Utah 84532

### TYPICAL CHEMICAL ANALYSIS

KCl	95.7%
K	50.2%
Mg	0.02%
Ca	0.5%
Na	1.0%
Cl	47.0%
NaCl	2.6%
SO <sub>4</sub>	0.9%
Insoluble	0.06%



The information shown in this data sheet represents average properties of product analyses of composite samples and typical analyses should not be considered a guaranteed specification. Individual shipment and grab sample analyses may fall outside of the above typical values due to natural variability within the product. Additional handling, transportation, or improper/extended storage may affect product analyses. Intrepid Potash disclaims any responsibility or liability for any loss or damage that may occur from any reliance on, or other use of, the above information with respect to the product.