

Red Fine Standard 60% K₂O Feed Grade



PROPERTY	RANGE	TYPICAL	GUARANTEE
K ₂ O	60.9-61.2%	61.0%	60.0% min.
Moisture			0.20% max.
SGN	40-55	50	
UI	20-30	25	

PARTICLE SIZE DISTRIBUTION

TYLER MESH	OPENING MM	TYPICAL % CUMULATIVE
+10	1.650	30
+65	0.212	90
+100	0.15	97

TYPICAL BULK DENSITY

70 lbs/ft³
1020 kg/m³


TYPICAL ANGLE OF REPOSE

28-32 degrees



TYPICAL CHEMICAL ANALYSIS

KCl	95.4
K	50.1
Mg	0.09
Na	1.1
Cl	47.3
Insoluble	0.75

 North Plant
 484 State Highway 243
 Carlsbad, New Mexico 88220
 575.234.3872 Direct to Plant
 800.451.2888 Customer Service



The information shown in this data sheet represents average properties of product analyses of composite samples and typical analyses should not be considered a guaranteed specification. Individual shipment and grab sample analyses may fall outside of the above typical values due to natural variability within the product. Additional handling, transportation, or improper/extended storage may affect product analyses. Intrepid Potash disclaims any responsibility or liability for any loss or damage that may occur from any reliance on, or other use of, the above information with respect to the product.